

The background image is a photograph of a workshop or a collection of antique machinery. The scene is dimly lit, with a focus on the textures of rust and aged metal. In the foreground, there's a large, complex piece of machinery, possibly a press or a printing device, with various gears, levers, and a keyboard-like structure with many small, rectangular keys. The machinery is heavily corroded with orange-brown rust. In the background, more tools and parts are visible, including a long, thin metal rod and a large, rusted metal frame. The walls are made of brick, and the overall atmosphere is one of a well-used but neglected historical space.

nerds in the news



#opennews



why journalism?




BACKBONE.JS

Timeline JS

django

Data-Driven Documents



Datavisualization.ch Selected Tools

selection.datavisualization.ch

↑ DATAVISUALIZATION.CH SELECTED TOOLS

All Maps Charts Data Color

Search...

Code? ✓ ✕



Miso

A toolkit to expedite the creation of interactive storytelling and data visualisation content.



Modest Maps

A display and interaction library for tile-based maps in Flash, JavaScript and Python.

Output as **JSON - Row Arrays**

```
[
  ["Alan", 12, "blue", "Sep. 25, 2010"],
  ["Shan", 13, "green\tblue", "Sep. 26, 2010"],
  ["John", 45, "orange", "Sep. 29, 2010"],
  ["Minna", 27, "teal", "Sep. 30, 2010"]
]
```

Mr. Data Converter

A simple console that converts Excel data into web-friendly formats, including HTML, JSON and XML.

Update Output

```
{
  "2010": [
    {
      "fips": "6001",
      "totalpop": "1510271",
      "pctHispanic": "0.225",
      "year": "2010"
    }
  ]
}
```

Mr. Nester

A simple console for learning and experimenting with d3.js data nesting.



NVD3.js


A collection of chart components for d3.js.



NodeBox



OpenRefine



Paper.js

data-driven journalism



hacks/hackers





Open Data



open data

Tabula

127.0.0.1:8080/pdf/64145139c5a8020bbaf45f0d6316210ad4fa5890

Google

Tabula is experimental software Home About

Estimates of Expenditure
for
Fiscal Year 2013/14
(Including Line Itemwise and Sourcewise)

Government of Nepal
Ministry of Finance
2014

Website : www.mof.gov.np
Email : Budget@mof.gov.np

Unofficial Translation
(For Official use only)

Page 1

Page 2

Page 3

Page 4

Page 5

tabula.nerdpower.org

Fiscal Year 2013/14
(Including Line Itemwise and Sourcewise)

Government of Nepal



platforms



stories

Widerstand gegen Volkszählung: So hart trifft der Zensus die deutschen Gemeinden

Von Björn Schwentker

Sonderbare Methodik, plötzlicher Einwohnerschwund, die Angst vor finanziellen Einbußen: Der Zensus 2011 löst massiven Protest aus, mehr als 800 deutsche Kommunen haben Widerspruch gegen die Volkszählung eingelegt. SPIEGEL ONLINE zeigt erstmals die Abweichungen der Einwohnerzahlen für alle 11.339 deutsche Gemeinden.

ANZEIGE



DER BMW X1 MIT xDRIVE.

► Mehr zu BMW

Montag, 05.08.2013 – 12:47 Uhr

Drucken | Versenden | Merken


Nutzungsrechte | Feedback

Kommentieren | 111 Kommentare

Zur Startseite

Twittern 57 Empfehlen 392 +1

Klicken Sie auf die Karte, dann sehen Sie die Gewinner und Verlierer des Zensus ►



Ende Mai sorgten die Ergebnisse der jüngsten Einwohnererhebung bundesweit für Erstaunen: Laut dem Zensus leben in Deutschland etwa **1,5 Millionen Menschen weniger** als gedacht. Seitdem gärt es in den Kommunen. Mit rund 800 Gemeinden machten gut zehn Prozent von ihnen bis Anfang August von ihrem Widerspruchsrecht Gebrauch.

DER TIGUAN CUP
MIT BIS ZU 2.800 €**
PREISVORTEIL.

> LUST AUF MEHR



*Kraftstoffverbrauch des neuen Tiguan CUP in l/100 km: kombiniert 8,5–5,5. CO₂-Emissionen in g/km: kombiniert 198–138. Effizienzklasse E – B. **Maximaler Preisvorteil von bis zu 2.800 € Beispiel des Tiguan CUP Sondermodells in Verbindung mit dem optionalen „Sky Paket“ gegenüber der unverbindlichen Preisempfehlung des Herstellers einen vergleichbar ausgestatteten Tiguan Trend & Fun. Abbildung zeigt Sonderausstattung gegen Mehrpreis.

🏷 Kennung: 52411

Art: Bundesstatistik

📅 Erhebung: jährlich, Jahressumme

📍 Regionalebene: Kreis

Ziele eines gerichtlichen Insolvenzverfahrens sind die gemeinschaftliche Befriedigung der Gläubiger durch Verteilung des Vermögens des Schuldners oder in einer abweichenden Regelung, die Erstellung eines Insolvenzplans zum Erhalt bzw. Sanierung des Unternehmens. Natürlichen Personen eröffnet ein Insolvenzverfahren die Möglichkeit nach einer bestimmten Frist, in der der pfändbare Teil ihres Einkommens an die Gläubiger abgeführt wird, die restlichen Schulden erlassen zu bekommen. Diese sog. Wohlverhaltens- phase war Ende 2001 von sieben auf sechs Jahre verkürzt worden. Gleichzeitig wurde auch für mittellose Schuldner die Stundung der Verfahrenskosten vorgesehen.

Die untenstehenden Tabellen enthalten die Messungen zur zur Statistik *Insolvenzstatistik*. Sie unterscheiden sich in ihrer geographischen Granularität sowie den enthaltenen Attributen.

Kreise und kreisfreie Städte

Tabelle 52411kj001


Stand: 13.08.2013

erw012 Beschäftigte (Messwert)

☐ isv006 Insolvenzverfahren (Unternehmen) (Messwert)

isvnrw1 Beschäftigte (Unternehmen) (Messwert)

regeneration.pudo.org





tools



literacy

BUNDESTAGSWAHL 2013

VORLÄUFIG

CDU/CSU	41.5% +7.7	236 Kreise +18	311 Sitze +72
SPD	25.7% +2.7	58 Kreise -6	192 Sitze +46
FDP	4.8% -9.8	0 Kreise	0 Sitze -93
DIE LINKE	8.6% -3.3	4 Kreise -12	64 Sitze -12
GRÜNE	8.4% -2.3	1 Kreise	63 Sitze -5
PIRATEN	2.2% +0.2	0 Kreise	0 Sitze
AfD	4.7% +4.7	0 Kreise	0 Sitze
Insgesamt			630 Sitze +8

UNTERVERTEILUNG NACH BUNDESLAND

	Zweitstimmenanteile	Direktmandate	Sitze
Brandenburg	35 23 3 22 5		
	4 - 2 1 - - -		
Berlin	28 25 4 18 12 4 5	5 2 0 4 2 0 0	5 3 0 0 4 0 0
	3 3 3 1 - - -	6 4 8 2 5 - 5	- - - - - - -
Bremen	29 36 3 10 12 3 4	0 2 0 0 0 0 0	2 2 0 1 1 0 0
	1 - 1 - - - -	5 5 7 4 3 - 4	- - - - - - -
Baden-Württemberg	46 21 6 5 11 2 5	38 0 0 0 0 0 0	43 20 0 5 10 0 0
		11 1 13 2 3 - 5	1 1 - - - - -

pudo.org/btw13

What maps are made of

Maps generally consist of geographic data (we'll call this **geodata** for short) and a **system for visually representing** that data.


Part 1: Geodata

Latitude and Longitude

Most geodata you encounter is based on latitude/longitude coordinates on Earth's surface (mapping Mars is beyond the scope of this primer).

Latitude ranges from -90 (the South Pole) to 90 (the North Pole), with 0 being the equator.

Longitude ranges from -180 (halfway around the world going west from the prime meridian) to 180 (halfway around the world going east from the prime meridian), with 0 being the prime meridian. Yes, that means -180 and 180 are the same.




If you are an old-timey sea captain, you may find or write latitude and longitude in degrees + minutes + seconds, like:

37°46'42"N, 122°23'22"W

Computers are not old-timey sea captains, so it's easier to give them decimals:

github.com/velتمان



 knight-mozilla
OpenNews